


Undershirt - Grüßen I.a. Pattern Pieces

Approximate Scale:
0.5cm = 1 inch = 2.54cm



I. Undershirt - 6miler


Diagram Ib.

Layout and Cutting Instructions

Material

45" wide x 56" long

folded in half lengthwise




I. Undershirt - Gnülen


Diagram Ia

Pleated Seam


a) Stitch $\frac{1}{4}$ " seam
- Wrong sides together



b. Trim seam to $\frac{3}{16}$ "
- Wrong sides together



c) Turn, stitch $\frac{1}{4}$ " seam
- Right sides together with trimmed seam



d) Turn, Press, together





I. Undershirt - Grüßen Diagram Id. Sewing Interfacings

a) Sew inner edge of facing to armhole edge - Then turn wrong side

(Right Sides Facing)
Front - Right Side



2-1/4" of raw (outer) edge of facing turned up and pressed



Right Side
Back

b) Sew folded outer edge of facing to front and back (Wrong Sides facing)

Front - Wrong Side




Wrong Side
Back




I. Undershirt - Gmülen


Diagram I.e. Garment Side Seams and Hems



d) Side Vents and Hems



2)




ON WRONG SIDE

1) Fold $\frac{1}{2}$ " up of raw edge


2) Fold $\frac{1}{4}$ " under (of $\frac{1}{2}$ " of raw edge. Stitch close to edge.

I Undershirt - Gnülen


Diagram I.f. Sewing on Collar




a) Place right side of collar facing wrong side of neck opening.
 Pin
 Stitch a $\frac{1}{4}$ " seam.
 Turn right side out.



b) Fold under $\frac{1}{4}$ " Press.
 Fold collar in half
 c) Stitch turned edge to right side of neck opening leaving ends free.



d) fold down $\frac{1}{4}$ " of bottom neck opening.




e) fold collar in half again
 f) Tuck free ends to inside Tack. Turn right side out. Stitch across bottom with Xs.

I. Undershirt - Gnülen

Diagram I.g

MAKING darts



To form
darts,
add extra
length to
each side




Diagram I.h

Sewing darts



To sew darts,
fold dashed
lines so they
meet.
Pin and stitch
on wrong side.